

ELEVATE

MARVIN ELEVATE® COLLECTION



Marvin Elevate® collection

THE PERFECT BALANCE OF
BEAUTY AND STRENGTH

Balancing beautiful design with superior strength, the Marvin Elevate collection delivers style in any climate. Elevate features warm wood interiors that can blend in or stand out, with Ultrex® fiberglass exteriors for lasting durability. The collection offers a range of carefully selected features and options, making it as versatile as it is elegant.

About Us

At Marvin, we're driven to imagine and create better ways of living, helping people feel happier and healthier inside their homes. We believe that our work isn't just about designing better windows and doors—it's about opening new possibilities for the people who use them.

Double Hung window and Sliding French door with Cambridge hardware in Satin Nickel



Inswing French door with Matte Black hardware

TABLE OF CONTENTS

3	MARVIN ELEVATE COLLECTION
6	WHY MATERIALS MATTER
8	ENERGY EFFICIENCY
11	PRODUCTS + OPTIONS
12	WINDOW PRODUCTS
14	DOOR PRODUCTS
16	DESIGN OPTIONS
18	HARDWARE STYLES
20	INSTALLATION ACCESSORIES
21	EXTERIOR TRIM
22	IZ3 PRODUCTS

WHY MATERIALS MATTER

THE MARVIN MATERIALS DIFFERENCE: ULTREX® FIBERGLASS

Choosing the right materials for windows and doors is important when it comes to long-term appearance and performance. Ultrex, an innovative fiberglass material pioneered by Marvin over 25 years ago, was one of the first premium composites on the market. However, not all composites are created equal.

Some companies use materials with fundamentally different properties and performance values to produce a composite material. But, Ultrex is different. High density woven fibers bound by a thermally set resin makes Ultrex more resistant to pressure and temperature than vinyl-based composites. With such different materials grouped in the composites category, it becomes important to know what sets them apart.




TEMPERATURES MAY FLUCTUATE, BUT ULTREX FIBERGLASS WON'T

Ultrex expands and contracts at virtually the same rate as glass, so it works with glass rather than against it. This means seals aren't as prone to leaking, and windows aren't subjected to sagging issues like other composites.

This is especially true when compared to vinyl, which can distort in extreme heat and crack in fluctuating temperatures. Ultrex resists distortion even at temperatures up to 285°F. Rapid temperature change doesn't faze Ultrex. From -30°F to 70°F, a 6-foot stile changes less than 1/32 inch in length.

EXPANSION MEASUREMENT

Ultrex expands and contracts at virtually the same rate as glass.



INDUSTRY'S BEST FIBERGLASS FINISH FOR LASTING BEAUTY

Ultrex is the first and only fiberglass finish to be verified to AAMA's 624 voluntary finish specifications for fiber reinforced thermoset profiles (fiberglass).

Windows and doors made with Ultrex resist scratches, dings, and marring more than vinyl. Our proprietary, mechanically bonded acrylic finish is up to three times thicker than painted competitive finishes, and it resists UV degradation up to five times longer than vinyl—even on dark colors.


ACRYLIC CAP



STRENGTH AND STABILITY OF ULTREX

Ultrex pultruded fiberglass has a tensile strength 8x stronger than vinyl and 3x stronger than non-fiberglass vinyl/wood composites. Windows and doors made with Ultrex bend and flex less, resist cracking and separating, and stand up better to everyday wear and tear.

The exceptional strength and stability of Ultrex eases installation and establishes a secure, long-lasting fit that stays square and true, year after year.



Casement and Direct Glaze windows in Stone White

COOLER IN SUMMER, WARMER IN WINTER

TOP RATED ENERGY EFFICIENCY

The National Fenestration Rating Council (NFRC) defines energy performance ratings for the entire window and door industry. It rates:

- **U-factor:** How well a window keeps heat inside a building.
- **Solar heat gain:** A window's ability to block warming caused by sunlight.
- **Visible light transmittance:** How much light gets through a product.
- **Air leakage:** Heat loss and gain by air infiltration through cracks in the window assembly.

Ultrex® fiberglass is 500 times less conductive than roll-form aluminum, more similar to wood and PVC. It provides an insulated barrier against extreme weather temperatures, keeping homes comfortable, and reducing heating and cooling costs.


ENERGY COST SAVINGS

Marvin was the first major window and door manufacturer to offer energy-efficient Low E2 glass and ENERGY STAR® certified performance on all of our standard windows and doors. Compared to non-certified products, ENERGY STAR certified windows and doors cut heating and cooling costs by 12%.*

The Elevate collection offers Triple-pane, Low E1, Low E2, Low E3, and Low E3/ERS insulated glass with argon gas, which has thermal conductivity 30% lower than that of air. It adds improved solar and thermal protection by distinguishing between visible light, damaging UV, and near-infrared rays to offer the ultimate glass performance. And provides a selection of energy-efficient solutions depending on your climate and needs.

LOW E GLASS COATING

The Low E coating is specially designed to take advantage of the angle of the winter and summer sun. Winter sun is absorbed and conducted indoors. Summer sun is filtered and reflected back outdoors.



Double Hung window with Sash Lock + Keeper in White

A MORE COMFORTABLE INTERIOR, REGARDLESS OF THE SEASON

Keep heat inside during cooler weather and block the sun's rays during warmer weather with dual-pane windows and Low E coating.

Marvin Elevate collection

PRODUCTS + OPTIONS



Casement, Awning, and Picture windows in Ebony

WINDOW PRODUCTS



Casement windows with Simulated Divided Lites and White Hardware

STYLE AND PERFORMANCE

Available with custom sizes, a variety of interior and exterior color choices, exterior trim, divided lites, and hardware options, Marvin Elevate windows are designed to blend seamlessly with any home style and look great for years to come. Double Hung, Casement, and Awning windows are available as insert products for replacement. Gliders, Bow and Bay configurations, and Specialty Shapes round out the complete portfolio of products.



CASEMENT + AWNING



DOUBLE HUNG



GLIDER



SPECIALTY SHAPES


DOOR PRODUCTS



Casement windows and Bi-parting Sliding French door with Northfield hardware

BEAUTIFUL AND TOUGH

Marvin Elevate doors can be customized to accent any home design with multiple interior and exterior color choices, hardware styles and finishes, custom sizes, and divided lite patterns. With a variety of screen and insulated glass options, Elevate doors perform in any climate with tough, low-maintenance Ultrex® fiberglass. Sliding Patio and French doors are available in 2-, 3-, and 4-panel configurations; Inswing and Outswing French doors are available in 1-, 2-, and 3-panel configurations.*



SLIDING PATIO DOOR



SLIDING FRENCH DOOR



OUTSWING FRENCH DOOR



INSWING FRENCH DOOR

DESIGN OPTIONS

INTERIOR AND EXTERIOR FINISHES

Elevate windows and doors features rich pine interiors and a durable, strong, and fully paintable Ultrex® fiberglass exterior, featuring our AAMA-verified acrylic finish for low-maintenance and superior aesthetics. Elevate Round Tops include the extruded aluminum exterior finished in commercial-grade paint for superior resistance to fading and chalking.

WOOD INTERIOR FINISHES

BARE PINE
Wood comes bare and ready to be painted or stained

CLEAR COAT
Wood is finished in the factory with a clear coat

PAINTED WHITE
Factory painted

PAINTED DESIGNER BLACK
Factory painted

FIBERGLASS EXTERIOR COLORS

STONE WHITE

CASHMERE

PEBBLE GRAY

BRONZE

EBONY

DIVIDED LITES

GRILLES-BETWEEN-THE-GLASS (GBG)
Available in several popular lite cut options for a classic divided lite look and easy glass cleaning. Available in Stone White, Bronze, and Ebony interior and Stone White, Cashmere, Pebble Gray, Bronze, or Ebony exterior.*

SIMULATED DIVIDED LITE (SDL)
Bars permanently adhered to both sides of the glass for a more authentic look. Available with or without spacer bar and in several lite cut options.



GRILLES-BETWEEN-THE-GLASS



SIMULATED DIVIDED LITE WITH SPACER BAR

GLASS OPTIONS

Glass is available with Standard Dual Pane or optional Triple Pane on select products. Available with Low E1, Low E2, Low E3, and Low E3/ERS insulated glass with argon gas.* Options include glazing for sound abatement (STC/OITC), high altitudes, and California fire zones. Laminated glass is also offered in products designed specifically for hurricane zones.

DECORATIVE GLASS

OBSCURE

GLUE CHIP

RAIN

REED

NARROW REED

FROST

BRONZE TINT

GRAY TINT


GREEN TINT

SIMULATED CHECKRAIL

Simulated Checkrail is the perfect solution when aesthetics call for the beauty of a double hung, but operation, egress, or performance demand another solution.

You specify placement of the horizontal simulated checkrail bar and the lite cut patterns above and below.

These illustrations offer a sampling of 7/8" Simulated Divided Lite (SDL) patterns that can be selected in combination with the 2 1/2" Simulated Checkrail on Casement, Awning, Glider, Direct Glaze Rectangle, Picture windows, and all Elevate doors.



* Not available in polygons except direct glaze rectangles.

* Argon gas not available in high elevations where capillary tubes are required.

HARDWARE STYLES

WINDOW HARDWARE

Windows feature classic low-profile durable hardware for clean aesthetics, safety, and security.



SASH LOCK + KEEPER
Double Hung and Glider



FOLDING HANDLE
Casement and Awning



Double Hung window in Designer Black with Matte Black Sash Lock + Keeper

DOOR HANDLES

Door handles are available in two distinct hardware styles.



CAMBRIDGE




NORTHFIELD

DOOR HANDLE OPTIONS

- Available keyed-alike option (use one key on multiple locks, with up to 3 different keys on each project).
- Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

FINISHES



Choose from a variety of hardware finishes to complement your Elevate collection windows and doors.

The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion resistant finish.

PVD finish is available on exterior door hardware in Oil Rubbed Bronze, Satin Nickel, and Brass.



Casement Narrow Frame window with Oil Rubbed Bronze Folding Handle and Lock Lever




Inswing French door with Cambridge Handle in Satin Nickel

INSTALLATION MADE SIMPLE AND EFFICIENT

INSTALLATION OPTIONS AND ACCESSORIES

- 1. NAILING FIN**
Pre-attached folding nailing fin and drip cap for easier installation.
- 2. THROUGH JAMB**
Available through jamb and installation bracket options.
- 3. FACTORY-APPLIED JAMB EXTENSIONS**
Factory-applied jamb extensions save time and labor. We supply 4 7⁄16", 6 7⁄16", and 6 13⁄16" jamb depth in bare wood, white, designer black, or clear interior finish.
- 4. FACTORY-INSTALLED SCREENS**
Factory-installed screens are a standard offering with operating windows. At no extra cost, we can ship your screens separately to reduce on-site damage prior to installation.
- 5. FACTORY MULLED ASSEMBLIES**
Available standard factory mulling, reinforced factory mulling, or field mulling kits. The reinforced mull meets AAMA 450 specifications and performs up to PG50 on standard products and up to PG55 on IZ3 rated products.
- 6. CORNER KEYS**
Integral corner keys keeps window and door units square and corners sealed.
- 7. CUSTOM SIZES**
Custom sizes are available on windows and doors in 1⁄4" increments for the perfect fit every time.
- 8. PAINTABLE ULTREX EXTERIOR**
The Ultrex® fiberglass exterior is paintable, and it holds dark colors better than vinyl or vinyl/wood composites.



EXTERIOR TRIM


Ultrex Exterior Trim is offered with all rectangular Elevate products in all five exterior finishes. The durability, performance, and look of Marvin Elevate windows and doors can be extended to the trim.

BRICK MOULD
2" Brick Mould is available with or without 2 1⁄8" sill nosing.

FLAT
3 1⁄2" Flat Trim is available in Flat and Flat Ranch configurations with or without 2 1⁄8" sill nosing.


SILL NOSE
2 1⁄8" Sill Nose provides authentic sill appearance.

CONNECTION BARB
Barb and receiver attachment method provides for quick, secure installation.



TRIM CONFIGURATIONS

Multiple configurations are available in lineal lengths and factory pre-cut kits in all five Elevate exterior colors.



MARVIN HAS YOU COVERED

The Elevate collection is backed by a fully transferable 20/10 warranty: 20-year coverage on glass and 10-year coverage on manufacturing materials and workmanship.

* Brick Mould, Flat, and Flat Ranch profiles are available on doors. Sill profiles are not included for door trim sets.

SAFE AND SOUND

ACCESSIBILITY OPTIONS

OPENING CONTROL DEVICE

Limits opening to 4" while providing for full egress. ASTM F2090 compliant. Available on Casement, Double Hung, and Glider windows.

SASH LIMITER

Permanently limits sash movement for safety and security.



CASEMENT
OPENING CONTROL DEVICE



DOUBLE HUNG
OPENING CONTROL DEVICE



GLIDER
OPENING CONTROL DEVICE



AWNING
SASH LIMITER

IZ3 PRODUCTS FOR COASTAL LIVING

Our Elevate IZ3 Certified products are specifically designed for the extreme conditions and construction requirements of coastal areas. Rigorously tested by third-party agencies to meet or exceed the most stringent coastal codes, they protect against flying debris, driving rain, cyclic pressure, and extreme temperatures. The Ultrex® fiberglass finish passes AAMA 624 standards for weathering and fading resistance.



IN HARSH COASTAL CONDITIONS, YOUR WINDOWS AND DOORS MATTER

Marvin offers windows and doors specifically designed for the coast.



Picture window and Sliding French door in Designer Black



Since we opened as a family-owned and -operated cedar and lumber company in 1912, Marvin has designed products to help people live better. We remain committed to bringing beauty and simplicity into people's lives with windows and doors that stand the test of time.

MARVIN.COM

©2022 Marvin Lumber and Cedar Co., LLC. All rights reserved.
®Registered trademark of Marvin Lumber and Cedar Co., LLC.
ENERGY STAR® and the ENERGY STAR certification mark are registered US marks.

Part #19981913. October 2022. [MUT]

Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Marvin dealer to view actual product and finish color samples.