



Manufacturer of  
Wood Entryways



Made In The USA





## First and Lasting Impressions

For over a quarter century, Signature Door Inc. has supplied elegant custom doors and decorative glass to independent retail establishments and brought architects, builders and homeowners expertise and personal service.

Our doors feature state-of-the-art manufacturing on every production level.

We are committed to every phase of your project from initial design to finished product.

Thank you for supporting American Craftsmanship.



## Doors

Hurricane-Impact Doors	8
Traditions	10
Panel	14
Cityscape	18
Dutch Doors	22
Rustic	24
Contemporary	26
Carriage Door	28
Accents	30
Coastal Living	32
Bifold Doors	40
Barn Doors	43
Combination Doors	44
Operating Sidelites	46

## Glass Options

Internal Mini-Blinds	47
Art Glass	48

## Finishes

Stain Options	53
Paint Options	55

## Hardware

Multi-point Locksets	56
Iron Grilles	58

## Accessories

Clavos/Straps/Knockers	61
Speakeasy Grilles	61

## Door Design

Panel & Molding	63
Glass & Molding	64
Sill Options	65
Millwork	66

# *Design Your Dream Entry!*

*"It's the little details that are vital.  
Little things make big things happen" - John Wooden*

You have a dream. We make it reality.



**SPECIAL ORDERS**  
I verify that this special order is correct and I understand that it is non-refundable

X \_\_\_\_\_

**SPECIAL ORDERS**  
I verify that this special order is correct and I understand that it is non-refundable

X \_\_\_\_\_

**SPECIAL ORDERS**  
I verify that this special order is correct and I understand that it is non-refundable

X \_\_\_\_\_

Dimensions are Tip to Tip

Door and Panel Profile

Dimensions are Tip to Tip on Jambs

Door and Panel Profile

Door and Panel Profile

N1SK8-8 Jessica KAN/JLN
N1SK8-8 Jessica KAN/JLN
03/16/2018 N1SK8-8 Jessica KAN/JLN



Every Door receives our "Signature Seal" medallion with a unique serial number.

# Timeless Craftsmanship

- Appliques
- Carvings
- Custom Moldings



*"Luxury lives in the finer details" - Iggy Azalea*



# Hurricane-Impact Doors

- Our Category-5 Hurricane Impact Doors are Florida-State Approved with design pressures up to +65/-80.
- HVHZ rated
- D. P. ratings for non-impact.
- No shutters required.





# Traditions






# Traditions





# Panel



Elegant Entryways are the first impression of what lies within.



# Panel





# Cityscape






# Cityscape





## Dutch Doors




Door combo unit with screen door



Blend indoor and outdoor living areas

Rustic





## Contemporary






## Carriage Doors





## Accents






## Coastal Living





# Coastal Living





# Coastal Living





Coastal Living





# Bifold Doors



Let the outdoors in!



Retractable Screens up to 24' Wide



# Barn Doors




8' x 8' Ribbon Cut Sapele




# Combination Doors



Protect your Investment!



Easy, turn-key operation to switch screen & glass



Storm and screen panels can be manufactured for your porch or outdoor living areas.


# Operating Sidelites



Outswing



Inswing



Operable inswing sidelites feature secure multi-point locking with easy hand-turn operation.

# Internal Mini Blinds

Raise - Lower - Tilt



Available in white or earth tone



# Hand-Crafted Art Glass



We welcome your creativity!



Take advantage of our in-house ability to create decorative door and fixed window glass to the size and shape you require. Allow us to incorporate your individual taste into a window and door system to add the perfect accent to your home.

### Caming options



## Hand-Crafted Art Glass



# Texture Glass Options

(additional textures available)



Double Granite



Clear Baroque



Clear Water



Clear Seedy



Clear  
Rough-Rolled


Clear Glass Tint



Sandblast



Clear Rain



Frosted Delta



Glue Chip



Gray



Bronze

*Above colors are approximate*


# Factory Finishing



*Get a head start on installing your door system -  
Allow us to finish your entryway.*

# Factory Finish Options

Sapele Mahogany



Oak



*While these color samples are as accurate as possible to the finished product, exact colors may vary slightly depending upon the natural color of the door specie.*

Contact your Signature Door sales associate regarding color samples

**Custom Stain Color Matching Available**



10900

# Factory Paint Options

We can mix any color you desire including those approved by your local historic district commission.



White



Bright Red-6



Country Red-10




Pale Rose-5



Slate-18



Storm Cloud-14




Cream-16




Country Blue-25




Ocean Blue-26



Saddle Brown-16



Mocha-19



Black

*Above colors are approximate*

Contact your Signature Door sales associate regarding color samples



## Multi-Point Locksets

### HOPPE® Trim Options



216N  
*Verona*  
(Rustic Umber)



374N  
*Munchen*  
\* (Satin Nickel)



3965N  
*Toronto*  
\* (Satin Nickel)



2161N  
*Dallas*  
\* (Satin Nickel)

\* Limited Lifetime Finish Warranty

### Ashley Norton Trim Options



AGEU4/680  
(Light Bronze)



MDEU4/450  
(White Bronze)



SPEU4/1600  
(Dark Oil Rubbed Bronze)



SQUEU4/200  
(Dark Bronze)



**Made In The  
USA!**

*Highest quality bronze tinted with hand applied patinas*

Trim Options



**E825/L110**  
(white bronze, dark patina)



**E457/L117**  
(silicone bronze, dark patina)



**E754/L115**  
(white bronze, medium patina)




**E754/L125**  
(silicone bronze, dark patina)



\* Non-Impact only

Anti-Slam device  
prevents hooks  
or tongues from  
extending while  
door is open



90 degree deadbolt  
operation allows you  
to secure door without  
engaging the remote  
lock points

Just lift lever  
to engage all  
locking points

**45.07**  
*Classic*



**45.01**  
*Transitional*



**45.03**  
*Contemporary*



**45.08**  
*Modern*




**45.02**  
*Traditional*

**Sentry™**  
Trim Options

# Iron Grilles






Operable or fixed



# Iron Grilles



Custom Ironwork



Insulated Grilles  
( Between Glass)

# Accessories

## Speakeasy Hardware



Straps




Clavos




Grilles

# Door Construction




- Wood doors are not suitable for direct-exposure applications.
- Our door is engineered to minimize the effects that are commonly associated with wood doors. Warping, twisting and bowing are a few complaints of wood door owners when their doors are subjected to the harsh weather conditions found in the northern regions and along the coast.
- The Signature System allows all components to operate independently, yet cohesively with one another.


# Panel & Molding Combinations




Raised Panel Molding  
Ogee Panel




Raised Panel Molding  
Traditional Panel




Raised Panel Molding  
Classical Panel




Raised Panel Molding  
Standard Panel




Recessed Molding  
Standard Panel




Recessed Molding  
WB11 Bolection  
Standard Panel




Recessed Molding  
WB31 Bolection  
Standard Panel




Recessed Molding  
WB21 Bolection  
Standard Panel




Recessed Molding  
WB41 Bolection  
Standard Panel




Recessed Molding W/  
WB21 Bolection  
Classical Panel




Recessed Molding  
WB21 Bolection and WB11  
Bolection on Ogee Panel




Recessed Molding  
Style B  
Standard Panel



Recessed Molding  
Style C  
Traditional Panel




Mission Molding  
Flat Panel




Tapered Mission  
Flat Panel


# Glass & Molding Combinations




Raised Molding  
& 1" SDL Bar




Recessed Molding  
& 1 3/4" TDL Bar




Recessed Molding  
Style B & 1" SDL Bar




Mission Molding  
& 1" SDL Bar




Recessed Molding  
Style C & 1" SDL Bar




Tapered Mission Molding  
& 1" SDL Bar




Tapered Mission Molding  
1/2" I.G.



Raised Molding  
1/2" I.G.




Raised Molding  
1" I.G.



Recessed Molding  
1" I.G.

# Prehang Details




Non-Impact Prehang Details with Standard Jamb and Inswing Sill




Non-Impact Prehang Details with Standard Jamb and Inswing Sill and Storm Door Attached

## Sill Options




Impact Inswing Sill

Available with 1 1/4", 2" or 3 1/4" extensions



Non-Impact Bumper Sill

Available in a variety of depths.



Impact Bumper Sill B

A 1 1/4" extension is available for BMC



Non-Impact ADA Sill

Available in a variety of depths.




Impact ADA Sill

Available in a variety of depths.



Solid Wood Sill Y

Available in a variety of depths.




Interlocking Sill

Available in a variety of depths.




Solid Wood Bumper Sill

Available in a variety of depths.




## Exterior Casing




Custom bends and profiles are available through our custom department for all door components.

## Panel Molding



\* Not available for rated door units



Signature Door Inc. warrants its products (finished or unfinished) sold under this warranty to be free of defects in materials and workmanship for one year from the date of purchase from the manufacturer or factory authorized distributor. Products containing insulated glasslights are warranted against glass seal failure for 10 years. This warranty takes precedence over all other warranties, expressed or implied.

This warranty is extended only to the original purchaser/consumer who does not purchase for resale or for use in the ordinary course of their business operations (IE: display purposes).

Products that are delivered unfinished from Signature Door Inc. must be properly sealed to prevent absorption of moisture. All sides recommended to be finished evenly within 72 hours of receipt and must be kept in a climate-controlled environment beforehand. *Notice:* ALL doors, even when factory pre-finished, must be maintained on a constant basis. Maintenance frequency depends on the amount of weather exposure the finish receives.

This warranty does not cover damage caused by others or by a cause beyond Signature Door's control, including but not limited to: damages caused by misuse, abuse, accident, or mishandling; or damages caused by acts of God, fire, flood, earthquake, or other storms. Misuse of a door includes, but is not limited to, hanging a door without providing adequate overhang or applying an inappropriate finish.

An overhang is required to retain this warranty. The protective overhang must be equal to, or greater than, the distance from the bottom of the sill to the base of the overhang. See figure 1.




Figure 1.

In order to reduce the chance of warping or checking, dark-colored finishes should be avoided on all surfaces, especially on light-colored wood species, or if the door is exposed to direct sunlight.

**This warranty does not cover any defects caused by:**

- Product failure due to improper or incorrect installation; This includes bow or misalignment in the frame in which door is hung, if the door was purchased as a slab only.
- Modification, alterations (including trimming and cutting down door), repair or service of this product by anyone other than the manufacturer or without their consent.
- Any use of the product other than for which it was intended.
- Door warpage (whether cup, bow or twist) unless it exceeds the following dimensions.
  - » 1/4" in doors up to a 4/0 nominal width and a 6/8 nominal height
  - » 3/8" in doors up to a 4/0 nominal width and a 8/0 nominal height
- Warping of doors in excess of a 6/8 nominal height without a multipoint locking system installed by Signature Door Inc. Though not always detrimental to the structural integrity of a door unit, pressure at a singular point (EG: cylindrical or mortise locks installed at a 35 1/4" latch height) is known to cause bowing on doors in excess of a 6/8 nominal height.
- Doors in excess of 48" in width or 120" in height.
- Door designs that include possible problematic details as warned against by an SDI Sales Associate prior to purchase (EG: plank doors with planks in excess of 5-6"; stile/rail components in excess of 9", uncomplimentary slab thickness on certain size doors, etc.)
- Products installed in or subject to high moisture or high humidity environments, including new homes with uncured plaster, drywall, concrete or ceramic tile.
- Products installed in direct sunlight (see above overhang requirements).
- Products subjected to unusual stress or strain such as that resulting from the movement or expansion/contraction of building or building components.
- Products not properly sealed or maintained as set forth above.
- Scratches, abrasions, or other damage caused by improper handling or cleaning.
- Failure to perform normal homeowner's maintenance, including maintaining the finish top coat. Please see Signature Door "Maintenance Information" for guidance.
- Panel movement (contraction/expansion) of 1/8" or less. Temperature and humidity levels are known to cause wood panels to contract or expand within the opening (particularly solid wood panels).
- Solid wood panels wider than 14" measured across the grain (IE: horizontal [x] dimension on a vertical [y] grain panel).
- Issues caused by extreme temperature build-up where a storm door is utilized. Storm doors are recommended to also include an interchangeable screen to allow for appropriate ventilation.

Variations in the wood color, texture, pattern and/or grain are considered characteristics of the wood and are not considered defects.

If a product becomes defective within the specified warranty period, Signature Door Inc. will repair or replace, at our discretion, any part(s) that appear to be defective in material or workmanship. The problem should be reported to the original place of purchase, along with the original purchase information. Signature Door Inc. will refund the purchaser the purchase price if the defects in the products are ones covered by this warranty and Signature Door Inc. is unable, by repair or replacement, to make the product perform properly. Signature Door Inc. is not liable for any installation, removal, or shipping charges in connection with the inspection, repair, or replacement of defective parts.



# Custom Wood Entryways

Social Media links

401 Priority St., Altoona, PA 16602    Phone: 1.800.741.2265    Fax: 1.814.949.2776  
www.signaturodoor.com    sales@signaturodoor.com

