



WOLF[®]
HOME PRODUCTS
Real performance. Real value.

DECKING,
PORCH FLOOR
& RAILING

BUILD SOMETHING BETTER



WOLF TROPICAL HARDWOODS COLLECTION – WEATHERED IPE

WOLF HOME PRODUCTS

Value that endures.

It's the promise of every building solution we engineer. And the cornerstone of our family-owned business since it was founded in 1843. We're committed to bringing you premium-quality American made products without the premium prices. All manufactured with uncommon integrity.

Ready to build something better?
You couldn't have chosen a better place to start.

Welcome to WOLF.



REALIZE YOUR VISION

FRONT COVER: WOLF TROPICAL HARDWOODS COLLECTION – ROSEWOOD

DURABLE MATERIALS FOR EVERY CLIMATE, BUDGET AND DESIGN.

PVC DECKING

Seaside & Tropical Hardwoods Collections

Made from polyvinyl chloride (PVC) and acrylonitrile-styrene-acrylate (ASA) premium capstock resin with WOLF's ColorWatch™ technology that blocks the sun's harmful UV rays for superior protection against fading and weathering. Contains no organic fillers, making it mold, mildew and insect resistant. PVC decking will not split or rot, does not need to be stained or treated and is extremely easy to maintain.

PRIMARY ADVANTAGES: Strong, lightweight and extremely durable

CAPPED COMPOSITE DECKING

Island & Captiva Collections

Made from a combination of wood fiber and plastic to create a board that will not warp, crack or swell like wood. Capped composite decks do not need to be stained or treated, resist insects, and are highly resistant to the sun's damaging ultra violet rays.

Capped with high quality capstock, the WOLF Pacific Collection does not need to be stained or treated, resists insects, and is highly resistant to the sun's damaging ultra violet rays – making these decking boards a low-maintenance, durable option for price-conscious projects.

WOLF Island Collection is capped with a tough capstock to protect the board and provide a durable, long-lasting finish, warrantied against staining and fading for 25 years.

PRIMARY ADVANTAGES: Durable good looks, lower price and greater dimensional stability

COMPOSITE DECKING

Intrepid Collection

The WOLF Intrepid Collection is a high quality composite decking made with patented Strandex® technology.

Strandex composite technology stands up to harsh weather and heavy traffic to deliver lasting beauty and durability. And while WOLF Intrepid decking offers the look of wood decking that most homeowners prefer, it spares you from the tedious upkeep that you'd much rather avoid.

Reversible-surface boards have a woodgrain pattern on one side and brushed finish on the other. All WOLF Intrepid decking is splinter-free, barefoot-friendly and slip-resistant.

PRIMARY ADVANTAGES: Strong, won't split, crack or warp

PVC PORCH FLOOR

Estate, Tropical Hardwoods & Americana Collections

WOLF Tropical Hardwoods and Estate Collections are made from PVC with premium ASA capstock resin with WOLF's ColorWatch™ technology that provides superior weatherability under prolonged exposure to sun and weather.

WOLF Americana Collection has solid color throughout and is paintable and reversible, with a woodgrain finish on one side and a matte finish on the other.

PRIMARY ADVANTAGES: Greater durability than wood or composites at a very attractive price

PVC RAILING

Value, Classic & Deluxe Series

Made from 100% polyvinyl chloride (PVC) with aluminum reinforcement, making it exceptionally strong and durable. It never needs paint, stain, or sealant. Our PVC railing contains TiO2 UV inhibitors for consistent color for many years.

Conveniently packaged in complete kits or components for almost limitless design versatility. Simple to install.

PRIMARY ADVANTAGES: Greater durability than wood, less expensive than composites, and design versatility



TROPICAL HARDWOODS COLLECTION

Impervious to moisture



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

PVC Decking

ColorWatch™ premium ASA capstock provides superior color retention under prolonged exposure to sun and weather.



- Rich, natural wood grain colors
- Both sides have the same woodgrain for less waste.
- Compatible with traditional and hidden fastening systems, including color-matched hidden plug fasteners.
- 1" x 5 1/2" deck boards available in 12', 16' and 20' lengths
- Rimboard available in 7/16" x 11 3/4" x 12'
- ICC code compliant – CCRR-0141
- Limited Lifetime Warranty



AMBERWOOD

NEW



BLACK WALNUT



AMBERWOOD



WEATHERED IPE



ROSEWOOD



DRIFTWOOD GREY



SEASIDE COLLECTION

- Impervious to moisture 
- Mold and mildew resistant 
- Will not rot, split or warp 
- Strong and durable 



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

PVC Decking

ColorWatch™ premium ASA capstock provides superior color retention under prolonged exposure to sun and weather.



- Cool, coastal tones
- Compatible with traditional and hidden fastening systems, including color-matched hidden plug fasteners.
- Both sides have the same woodgrain for less waste.
- 1" x 5 1/2" deck boards available in 12', 16' and 20' lengths
- Rimboard available in 7/16" x 11 3/4" x 12'
- ICC code compliant – CCRR-0141
- Limited Lifetime Warranty



SAND CASTLE



HARBOR GREY



SAND CASTLE



ISLAND COLLECTION

Grooved boards accept hidden fasteners



Impervious to moisture



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



Extended
WOLF PRO
labor warranty

Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

Capped Composite Decking

Patented Strandex® core, made from composite strands encapsulated in polyethylene, provides superior strength and moisture protection.




- Exclusive natural wood color and grain pattern
- Variegated surfaces
- Grooved boards accept hidden fasteners for easy, uniform installation
- 1" x 5 1/2" deck boards available in 12', 16' and 20' lengths
- Matching Rimboard available in 7/16" x 11 3/4" x 12'
- Color-matched screws available
- ICC code compliant – ESR-1573
- 25-Year Limited Warranty



MAHOGANY



MAHOGANY



COASTAL GREY



LIGHT GARAPA



IPE



CAPTIVA COLLECTION

Grooved boards accept hidden fasteners



Impervious to moisture



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



DECKING



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

Capped Composite Decking

Patented Strandex® core, made from composite strands encapsulated in polyethylene, provides superior strength and moisture protection.



- Exclusive natural color and grain pattern
- Variegated surfaces
- Grooved boards accept hidden fasteners for easy, uniform installation
- .94" x 5.44" deck boards available in 12', 16' and 20' lengths
- Matching Rimboard available in 1/2" x 11-1/4" x 12'
- Color-matched screws available
- ICC code compliant – ESR-1573
- 25-Year Limited Warranty



CEDAR RIDGE



CEDAR RIDGE



POTOMAC GREY



ACACIA



WILLOW



INTREPID COLLECTION

Grooved boards accept hidden fasteners



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

Composite Decking

Patented Strandex® core, made from composite strands encapsulated in polyethylene, provides superior strength and moisture protection.

25
YEAR
STRUCTURAL
LIMITED
WARRANTY

- Reversible-surface: woodgrain pattern on one side and brushed finish on the other.
- Grooved boards accept hidden fasteners for easy, uniform installation
- .94" x 5.44" deck boards available in 12', 16' and 20' lengths
- Matching Rimboard available in 1/2" x 11-1/4" x 12'
- Color-matched screws available
- ICC code compliant – ESR-1573
- 25-Year Limited Warranty



WALNUT



GRAY
WOODGRAIN / BRUSHED

CEDAR
WOODGRAIN / BRUSHED

REDWOOD
WOODGRAIN / BRUSHED

WALNUT
WOODGRAIN / BRUSHED



TROPICAL HARDWOODS COLLECTION

- Impervious to moisture 
- Mold and mildew resistant 
- Will not rot, split or warp 
- Strong and durable 



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

PVC Porch Floor

ColorWatch™ premium ASA capstock provides superior color retention under prolonged exposure to sun and weather.

- Rich, natural wood grain colors
- ICC code compliant – CCRR-0141
- Limited Lifetime Warranty






AMBERWOOD



WEATHERED IPE



AMBERWOOD



Estate Collection only available mouldings



QUARTER ROUND



PORCH CAP

PORCH

ESTATE COLLECTION

- Won't stain or fade 
- Impervious to moisture 
- Mold and mildew resistant 
- Will not rot, split or warp 
- Strong and durable 



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.

CHEYENNE

PVC Porch Floor

ColorWatch™ premium ASA capstock provides superior color retention under prolonged exposure to sun and weather.



- Lightweight
- Installs like tongue and groove flooring using regular tools
- 1" x 3 1/8" planks available in 10', 12' and 16' lengths
- ICC code compliant – CCRR-0141
- Limited Lifetime Warranty



QUARRYSTONE



CHEYENNE



VILLAGER GREY

AMERICANA COLLECTION

Impervious to moisture



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



PVC Porch Floor

- 100% cellular PVC with a dense and durable surface
- Solid color throughout
- Paintable
- Installs like tongue and groove flooring using regular tools
- 3/4" x 3 1/8" planks available in 10', 12' and 16' lengths
- Maximum span 16" o.c.
- Limited Lifetime Warranty
- Perfect replacement for existing tongue and groove porch flooring



TRADITIONAL WHITE with ~~Decorators~~ FRONTIER SCENIC BALUSTERS

WOLF PVC RAILING

Impervious to moisture



Mold and mildew resistant



Will not rot, split or warp



Strong and durable



RAILING

Features


- Durable aluminum-reinforced vinyl with TiO2 UV inhibitors
- Low maintenance – never paint, stain or seal again
- Concealed fastener brackets
- Rail kits include all fasteners and brackets
- Balusters available separately for less waste and in convenient all-inclusive kits
- Available pre-routed for a variety of baluster options
- Exceptionally strong and durable
- 100% recyclable
- Lifetime Limited Warranty
- ICC Code Compliant – both Residential and Commercial – ESR1657



Visit WOLFHomeProducts.com to find a WOLF PRO contractor near you.




TRADITIONAL WHITE with **Decorators**® BLACK CLASSIC ALUMINUM BALUSTERS



WHITE



ALMOND



KHAKI



WHITE CLASSIC SERIES DESIGNER RAIL WITH DECKBOARD TOP | BLACK CLASSIC BALUSTERS | FEDERATION POST CAP

WITH SO MANY DESIGN OPTIONS, THE POSSIBILITIES ARE VIRTU

FEATURING **Deckorators®** BALUSTERS, CAPS & ACCESSORIES



WHITE CLASSIC SERIES DESIGNER RAIL | DECKORATORS® BLACK CLASSIC BALUSTERS | BLACK GLASS VERSACAP



ALMOND CLASSIC SERIES TRADITIONAL RAIL | BLACK CLASSIC BALUSTERS & BASKETS | NEW ENGLAND CLASSIC POST CAP WITH BLACK TOPPERS



WHITE VALUE SERIES TRADITIONAL RAIL | WHITE SQUARE VINYL BALUSTERS | NEW ENGLAND CLASSIC POST CAP WITH TIFFANY TOPPERS



WHITE VALUE SERIES TRADITIONAL RAIL | WHITE COLONIAL VINYL BALUSTERS | COPPER SOLARBAND VERSACAP

RAILING

JULY ENDLESS!



ALMOND CLASSIC SERIES TRADITIONAL RAIL | WHITE CLASSIC BALUSTERS | FEDERATION POST CAPS



WHITE DELUXE SERIES DESIGNER RAIL | BLACK ARC BALUSTERS | BLACK GLASS VERSACAP



WHITE DELUXE SERIES DESIGNER RAIL | BRONZE BAROQUE BALUSTERS | CLASSIC NEW ENGLAND POST CAP WITH COPPER TOPPER

CARE AND MAINTENANCE

CARE & CLEANING

What is the best way to clean WOLF Decking?

For general cleaning purposes, an all-surface deck cleaner or a regular all-purpose cleaner is recommended. Abrasive cleaners may dull the surface of boards. It is recommended that you test any cleaner on a scrap board before applying directly to deck.

Can I power wash WOLF Decking?

Yes, WOLF Decking may be power washed with a fan tip and a pressure level at or under 1300 PSI. It is recommended you first test the power washer application on a scrap piece of WOLF Decking.

Can WOLF Decking be painted or stained?

While staining or painting of WOLF Decking is not recommended, you may apply paint or stain to the boards. However, WOLF does not guarantee the performance of any staining and painting product on the boards.

Are there any products I should avoid getting on my WOLF Decking?

Some chemicals in sunblock, insect repellent and similar products can alter surfaces. Products like DeckMAX® Revitalizer should be avoided as they can etch the cap of WOLF Decking and void the warranty. Check product labels for compatibility with plastics before use, or contact the manufacturer if needed. Test all products on a small sample to ensure compatibility.

Can I use a door or grill mat on WOLF Decking?

WOLF PVC Decking – Never use rubber backed items for extended periods of time. These items may cause discoloration of the deck or porch surface. We recommend the use of a breathable natural fiber mat.

WOLF Capped Composite – Yes, rubber backed door or grill mats may be used.

How can I remove ice & snow from WOLF Decking?

Products with calcium chloride that clear ice won't damage surfaces, but may leave a white residue that can be cleaned with household products. To avoid scratching, use only a plastic shovel to remove snow.

How can I remove rust from WOLF Decking?

Remove rust with toilet bowl cleaner.

PERFORMANCE

Does WOLF Decking get hotter than pressure-treated wood under the sun?

WOLF Decking will retain heat similarly as a comparable color toned wood deck. Darker colors will retain more heat regardless of the product.

Are there any other building materials that raise surface temperatures?

All decking surfaces will get hot in the sun. However, reflective door and window surfaces, particularly low emissivity glass (low-E) amplify sunlight much like a magnifying glass and can harm decking and porch materials. Possible damage may include warping, sagging, surface discoloration, unusual weathering and increased expansion or contraction. You can mitigate the effects of low-E glass by utilizing window screens, awnings, and/or landscaping.

Can WOLF Decking grow mold or mildew?

WOLF Decking is highly mold and mildew resistant and will not sustain the growth of either. However, the growth of mold is possible only on the surface of WOLF Decking boards. With the proper conditions of moisture, airborne particles and temperature, any outdoor surface is capable of growing mold and mildew. Surface mold and mildew may be removed using deck cleaner or a one part to four parts mixture of bleach and water. Scrub affected area using a nylon bristle brush and rinse with water.

Can WOLF Decking be used near water?

Yes, many WOLF Decking projects have been completed near water. WOLF Decking boards resist moisture. When used within one mile of salt water we recommend using 316 stainless fasteners.

Can WOLF Decking be used as a porch floor?

Yes, WOLF Decking is suitable for use as a porch floor. For additional porch options, view our line of WOLF Porch Floor.

WOLF Decking captures the look of rich, natural wood by offering deck boards that vary in color and grain pattern. The result is a deck with the beauty of natural elements and the strength of a manmade composite. Color and pattern variations will not affect the performance of WOLF Decking; they only serve to enhance the look of your deck.



INSTALLATION

What kind of fastener should I use with WOLF Decking?

When installing WOLF PVC Decking, we recommend the use of 2-1/4" minimum #10 diameter stainless steel screws. Cortex®, CAMO™ Stainless Steel, HIDfast™ and Tiger Claw® Pro Clip hidden fastening systems also work well with WOLF PVC Decking.

For CAMO, HIDfast and other side mount installations, use Cortex face screws or other positive fastening system within 1/2" of the end of each board.

For coastal applications near salt water, a 316 stainless steel screw or better is recommended.

When installing WOLF Capped Composite Decking, we recommend the use of 2-1/2" corrosion-resistant, composite wood deck screws. Equator Clips are recommended for invisible fastening by hand and for invisible fastening with a pneumatic tool TigerClaw or Mantis is recommended.

Please consult with WOLF Customer Care before installing WOLF Decking with a fastener system that has not been recommended by WOLF.

Can I build my WOLF Decking directly over an existing surface?

We do not recommend that you install WOLF PVC Decking or WOLF Capped Composite Decking directly over an existing surface. Adequate space is required for ventilation.

When installing either WOLF PVC Decking or WOLF Capped Composite Decking, leave 2" beneath the bottom of joists and grade for joist ventilation.

Can I use WOLF Decking on a rooftop application?

Yes, you may install WOLF Decking on a rooftop. You should note that both WOLF PVC Decking and WOLF Capped Composite Decking require a minimum gap of 1/8" between boards for drainage and must be attached to a secure understructure. Proper ventilation of the floor joists is still required.

Please note that you may not attach WOLF Decking to a floating structure.

Can I cantilever WOLF Decking boards on my deck?

Yes, you may cantilever WOLF PVC & Capped Composite Decking. The maximum cantilever is 1".

Can I use glue or caulk with WOLF Decking?

Yes, you may use PVC adhesive with WOLF PVC Decking and caulk for the installation of both WOLF PVC and Capped Composite Decking. Note that caution must be used that no glue or caulk adheres to the decking surface. For caulk application, use a flexible-type caulk, rather than an adhesive-type.

Can I use a router on the WOLF Decking?

Yes, you may use a router for the installation of WOLF Decking. The boards will rout in a manner similar to wood. Keep in mind when routing you will expose the decking core which may be a different color.

Is there a minimum height from the ground that WOLF Decking must be installed?

When installing either WOLF PVC or Capped Composite Decking, leave 2" beneath the bottom of joists and grade to ensure adequate ventilation.

Is WOLF Decking suitable for use in commercial settings?

Yes, WOLF Decking is suitable for commercial application, with some caveats. Commercial use of WOLF PVC Decking reduces the term of the Limited Lifetime Warranty to 20 years. The commercial use of WOLF Capped Composite Decking requires that a warranty be obtained in writing prior to use.

How heavy is WOLF Decking?

WOLF PVC Decking, which includes the Seaside, Tropical Hardwood and Prairie Collections, weighs 1.7 lbs per square foot. For comparison pressure treated decking weighs approximately 1.58 lbs per square foot.

WOLF Capped Composite Decking, which includes the Island Collection, weighs 2.6 lbs per square foot with our grooved boards and 2.86 lbs per square foot with our solid boards.

Is WOLF Decking code-compliant?

Yes, both WOLF PVC Decking and WOLF Capped Composite Decking are code-compliant products when properly installed for approved use. Please check with your local building code department for further requirements related to regional codes.

WOLF PVC Decking — CCRR-0141

WOLF Capped Composite Decking — ESR-1573

Is WOLF Decking structural?


No, WOLF Decking is not intended to be applied as a structural product and should only be installed for approved purposes, including a walking surface.

Can you rip a WOLF Decking board?

While it is not recommended that you rip to reduce the thickness of WOLF Decking boards, you may rip to reduce width of the board. Pre-drilling may be required for installation, and all other application requirements and recommendations apply. Keep in mind, as with routing, you will expose the decking core which may be a different color.

Can I use a non-recommended fastener to install WOLF Decking?

Use of non-recommended fasteners could void the warranty on WOLF PVC and Capped Composite decking. Please contact WOLF Customer Care prior to using any non-recommended fastener. Our representatives may be reached by phone during regular business hours by calling 877.315.6669.



WOLF[®]

HOME PRODUCTS

Real performance. Real value.



WOLF[®]

DECKING

Real performance. Real value.

WOLF[®]


PVC RAILING

Real performance. Real value.



available at:

To find the location nearest you,
visit www.millwork1.com.



All photos are representative of product. Please review an actual product sample with your dealer before making your final selection. Information contained within is subject to change without notice.